

Ki Pro GO Series

Approved Media

Media and Configuration Information for USB Drives

Introduction

This document details approved media types and media formatting recommendations for the Ki Pro GO Series of digital recorders including the Ki Pro GO and Ki Pro GO2.

Media Formatting

For the best results, AJA Video Systems recommends formatting all media to ExFAT prior to use with the Ki Pro GO Series, due to file size constraints with other formats.

In some cases, drives ship formatted as NTFS. Those drives **MUST** be reformatted to ExFAT prior to use, and this is indicated with Notes in this document.

Multi-Channel/Redundant Recordings

AJA recommends the SSD drives listed in this document be used for multi-channel and/or redundant recording with the Ki Pro GO Series.

Supported USB Thumb Drives (Single Channel Recordings)

Transcend JetFlash 780

- Transcend JetFlash 64GB = TS64GJF780
- Transcend JetFlash 128GB = TS128GJF780
- Transcend JetFlash 256GB = TS256GJF780

Transcend JetFlash 910

- Transcend JetFlash 128GB = TS128GJF910
- Transcend JetFlash 256GB = TS256GJF910

Transcend JetFlash 920

- Transcend JetFlash 920 128GB = TS128JF920
- Transcend JetFlash 920 256GB = TS256JF920
- Transcend JetFlash 920 512GB = TS512JF920

Transcend JetFlash 930C

- Transcend JetFlash 930C 128GB = TS128GJF930C
- Transcend JetFlash 930C 256GB = TS256GJF930C

Corsair Flash Voyager GTX

NOTE: These drives MUST be formatted as ExFAT before use.

- Corsair Flash Voyager GTX128GB = CMFVYGTX3C-128GB
- Corsair Flash Voyager GTX256GB = CMFVYGTX3C-256GB
- Corsair Flash Voyager GTX512GB = CMFVYGTX3C-512GB
- Corsair Flash Voyager GTX1TB = CMFVYGTX3C-1TB

OWC Envoy Pro Mini

- OWC Envoy Pro Mini 500GB: OWCENVPMCA05

OWC drives ship pre-formatted in Apple's APFS format. To be able to be used with a Ki Pro GO or Windows PC, they must be re-formatted as ExFAT volumes. This is accomplished on a Mac via Apple's Disk Utility or through the use of the free "OWC Drive Guide" plug-in available for Windows from:

start.owc.com/windowsformat

Supported SSD Drives (Multi Channel/Redundant Recordings)

AJA PAK Dock Pro

- External dock for use with AJA PAK media.
- All PAK media from rev2 and above are supported, ExFAT format required.

Samsung Portable SSD T5

- Samsung T5 500GB: MU-PA500B
- Samsung T5 1TB: MU-PA1T0B
- Samsung T5 2TB: MU-PA2T0B

Samsung Portable SSD T7

The last letter in the part numbers only indicates the color of the unit.

- Samsung T7 500GB: MU-PC500(T,R or H)
- Samsung T7 1TB: MU-PC1T0(T,R or H)
- Samsung T7 2TB: MU-PC2T0(T,R or H)

Samsung Portable SSD T7 Shield

The last letter in the part numbers only indicates the color of the unit.

- Samsung T7 Shield 1TB: MU-PE1T0 (KR or S)
- Samsung T7 Shield 2TB: MU-PE2T0 (KR or S)

Samsung Portable SSD T7 Touch

NOTE: For these units, security **MUST** be set up before they can be used by the Ki Pro GO Series

The last letter in the part numbers only indicates the color of the unit.

- Samsung T7 Touch 500GB: MU-PC500(K or S)
- Samsung T7 Touch 1TB: MU-PC1T0(K or S)
- Samsung T7 Touch 2TB: MU-PC2T0(K or S)

G-Tech SSD

NOTE: These drives **MUST** be formatted as ExFAT before use.

Description	Model Number	SKU	UPC
G-DRIVE mobile SSD 500GB	GDRRUCWWA5001SDB	0G06052	705487206142
G-DRIVE mobile SSD 1TB	GDRRUCWWA10001SDB	0G06053	705487206159
G-DRIVE mobile SSD 2TB	GDRRUCWWA20001SDB	0G06054	705487206166

Contacting AJA Support or Sales

Please have all pertinent information at hand prior to contacting AJA support or sales.

Support Telephone: +1.530.271.3190

Support Website: <https://www.aja.com/support/contact>

Support Email: support@aja.com

Sales Email: sales@aja.com

Shipping Address: AJA Video Systems
180 Litton Drive
Grass Valley, CA 95945, USA